



Address: No.138-8, Yuegui South Road, Chengxi New District, Yongkang City, Zhejiang Province

⚠ For the safety of users, please read the product instruction carefully before using it, and use protective devices when using it.

ZHIBIAO Leadi

Leading the future





Zhejiang Zhibiao Industry and Trade Co., Ltd. is located in the beautiful and rich "hardware capital" – Yongkang City, Zhejiang Province, the company's main auto parts and tools industry. Auto lamp production car reflective triangle warning signs, such as brake pad automobile road safety products, the product passed EMARK authentication, CE certification and the Ministry of Public Security certification of the Ministry of Transport, domestic products are exported to southeast Asia, the Middle East, Europe and the United States and other regions, well received by customers at home and abroad, successively with, than YanDi, Renault, Toyota lexus, and peace, companies such as cooperation.

The company mainly produces 355 profile cutting machine with various styles, the quality and price are among the best in the same industry. The product has been steadily expanding to the domestic and foreign markets, the company is developing vigorously and the sales performance is growing rapidly.

Our company's consistent service tenet is "to provide customers with the best and the best service at the most affordable price". Hope that through our sincerity and efforts to become your long-term partners, create brilliant!

Professional intelligent manufacturer of industrial power tools

HIGH QUALITY TOOLS



目录 CATALOGUE

	ZB-355G-3	02
P	agev 03 Table Saw	
	ZB-2541A	03
	ZB-2541D	03
P	agev 04-11 Cut-Off Machine	
	agev 04-11 Cut-Off Machine	
		04
	ZB-355G	04 04

Pagev 02 Cold Cutting Machine

ZB-355A	07
ZB-355A-1	07
ZB-355D	80
ZB-355H	80
ZB-355C-1	10
ZB-355C-2	10
7B-355A-6	11

Pagev 12-19 Miter Saw

ZB-355B ··

ZB-255A	12
ZB-255B	13
ZB-255B-1	14
ZB-210A-1	1
ZB-255C	16
ZB-305C	16
ZB-255A-1	17
ZB-210A	18
ZB-210C	18
ZB-255E	19

Pagev 20	Cut-Off Machine	
ZB-400A		20
ZB-400B		20
Pagev 21-	23 Angle Grinder	
 ZB-AG1 		21
ZB-AG2 ······		21
 ZB-AG3 ······ 		22
 ZB-AG4 ······ 		22
 ZB-AG5 ······ 		23
ZB-AG6		23
Pagev 24	Circular Saws	
■ ZB−185A ····		24
Pagev 24	Cutting Machine	
• 7B110-1 ····		24

ZB110-2 ·

ZHIBIAO POWER TOOLS

COLD CUTTING MACHINE series





Mod.ZB-355G-3

Cold Cutting Machine

Specification	_ c	'n	00	ific	otic	
	ن	'n	せし	IIIC	auc	

Blade di	ameter	Rated input power		No load speed		Rate frequency	
355 N	MM	2800 W		1200 RPM		50/60Hz	
Rated Voltage	220V~	rectangle	90 maximum cutting	210x85mm	Round material	90 maximum cutting	Ф130mm
Moter Height	60mm		45 maximum cutting	135x43mm		45 maximum cutting	Φ90mm
G.W/N.W ColorBox Size	26/25kg 65x38.5x47cm	square	90 maximum cutting 45 maximum cutting	120x120mm 85x85mm	Angle steel	90 maximum cutting 45 maximum cutting	200x200mm 130x130mm

01 A leader in the cutting industry





TABLE SAW series



Mod.ZB-2541A

Product features:

- A high-power table saw specially designed for woodworking.
 Practical wooden push table has better precision and higher cutting efficiency.
- 3. It is especially suitable for fast and accurate cutting of steel, nonferrous metals, iron and plastic steel.

Input power	No-load Speed		
2000W	4300r/min		
BLade capacity	254mm		
Rated Voltage	220V~50/60Hz		
Blade teeth	60mm		
Cutting thickness	2.1mm		
Cutting Height	0° max 85mm		
	45° max 65mm		
G.W/N.W	24.5/23kg		
Color Box Size	72x57x38cm		





Mod.ZB-2541C


Product features:

cutting efficiency.

- A high-power table saw specially designed for woodworking.
 Practical wooden push table has better precision and higher
- 3. It is especially suitable for fast and accurate cutting of steel, nonferrous metals, iron and plastic steel.

Input power	No-load Speed 4300r/min		
2000W			
BLade capacity	255mm		
Rated Voltage	220V~50/60Hz		
Blade teeth	60mm		
Cutting thickness	2.1mm		
Cutting Height	0° max 85mm		
-	45° max 65mm		
G.W/N.W	21/19.5kg		
Color Box Size	72x57x38cm		

STEEL MACHINE series



Mod.ZB-355G

Product features:

- 1. It is especially suitable for rapid finishing of steel, nonferrous metals, iron and plastic steel.
- 2. Ergonomically designed switch
- 3. The cutting angle can be adjusted arbitrarily from 150 to 450.
- 4. Adjustable cutting depth

Input power	No-load Speed		
2600W	3900r/min		
Blade Diameter	355mm		
Input Power	220V~ 50/60Hz		
No-Load Speed	55mm		
Rated Frequency	100mm		
Rated Voltage	17/16kg		
G.W/N.W	63.5x31x43.5cm		
Color Box Size			




Mod.ZB-355G-1

Product features:

- It is especially suitable for rapid finishing of steel, nonferrous metals, iron and plastic steel. Exact cutting
- 2. Large shield design to prevent sparks from splashing and effectively protect operators.personal security
- 3. The design of large D-shaped handle conforms to ergonomic design and is comfortable to hold. Adapt to and relieve fatigue
- The steel thickened base is more stable in operation and more accurate in cutting.
- 3. The cutting angle can be adjusted arbitrarily from 150 to 450.
- 4. Adjustable cutting depth

No-load Speed	
3800r/min	
355mm	
220V~ 50/60Hz	
60mm	
100mm	
23.5/21.5kg	
63x34x44cm	

O3 A leader in the cutting industry 04





Steel machine series

Read thoroughly handing instructions before use.

Mod.ZB-205-1

Product features:

- It is especially suitable for rapid refining of steel, non-ferrous metals, iron and plastic steel
- 2. Ergonomically designed switch
- 3. The cutting angle can be adjusted from 15° to 45°
- 4. Adjustable cutting depth

Input power	No-load Speed		
1200W	5000r/min		
Blade capacity	205mm		
Rated Voltage	220V~ 50/60Hz		
Moter Height	50mm		
Cutting Capacity	100mm		
G.W/N.W	7/6.5kg		
Color Box Size	23.5x38.5x24cm		





Mod.ZB-355C


- It is especially suitable for rapid refining of steel, non-ferrous metals, iron and plastic steel
- 2. Ergonomically designed switch
- 3. The cutting angle can be adjusted from 15° to 45°
- 4. Adjustable cutting depth

Input power	No-load Speed		
1800W	3800r/min		
BLade capacity	355mm		
Rated Voltage	220V~ 50/60Hz		
Moter Height	50mm		
Cutting Capacity	100mm		
G.W/N.W	10.5/12kg		
Color Box Size	53x30x38cm		



ZHIBIAO POWER TOOLS

Steel machine series



Mod.ZB-355A

Product features:

It is especially suitable for rapid refining of steel, non-ferrous metals, iron and plastic steel

2. Ergonomically designed switch

3. The cutting angle can be adjusted from 15° to 45°

4. Adjustable cutting depth

Input power	No-load Speed	
2600W	3900r/min	
Blade capacity	355mm	
Rated Voltage	220V~ 50/60Hz	
Moter Height	65mm	
Cutting Capacity	100mm	
G.W/N.W	15.5/14kg	
Color Box Size	56x34x43cm	



Mod.ZB-355A-1

Product features:

 It is especially suitable for rapid refining of steel, non-ferrous metals, iron and plastic steel

2.Ergonomically designed switch

3. The cutting angle can be adjusted from 15° to 45°

4. Adjustable cutting depth

Input power	No-load Speed	
2600W	3900r/min	
Blade capacity	355mm	
Rated Voltage	220V~ 50/60Hz	
Moter Height	65mm	
Cutting Capacity	100mm	
G.W/N.W	17.5/16kg	
Color Box Size	56x34x43cm	

Steel machine series



Mod.ZB-355D

Product features:

It is especially suitable for rapid refining of steel, non-ferrous metals, iron and plastic steel

2. Ergonomically designed switch

3. The cutting angle can be adjusted from 15° to 45°

4. Adjustable cutting depth

Input power	No-load Speed	
2400W	3900r/min	
Blade capacity	355mm	
Rated Voltage	220V~ 50/60Hz	
Moter Height	60mm	
Cutting Capacity	100mm	
G.W/N.W	14.5/13kg	
Color Box Size	54x31x41cm	



Mod.ZB-355H

Product features:

1. It is especially suitable for rapid finishing of steel, nonferrous metals, iron and plastic steel.

2. Soft leather handle, comfortable to hold and relieve fatigue.

3. High-quality grinding wheel blades make cutting more efficient.

4. The steel thickened base is stable and safe.

Input power	No-load Speed	
2600W	3900r/min	
Blade capacity	355mm	
Rated Voltage	220V~ 50/60Hz	
Moter Height	60mm	
Cutting Capacity	100mm	
G.W/N.W	15/13kg	
Color Box Size	54x31x41cm	


O7 A leader in the cutting industry

ZHIBIAO POWER TOOLS









Mod.ZB-355C-1

Product features:

- It is especially suitable for rapid refining of steel, non-ferrous metals, iron and plastic steel
- 2. Ergonomically designed switch
- 3. The cutting angle can be adjusted from 15° to 45°
- 4. Adjustable cutting depth

Input power	No-load Speed	
2200W	3900r/min	
Blade capacity	355mm	
Rated Voltage	220V~ 50/60Hz	
Moter Height	50mm	
Cutting Capacity	100mm	
G.W/N.W	12.5/10.5kg	
ColorBox Size	53x30x38cm	



Product features:

- It is especially suitable for rapid refining of steel, non-ferrous metals, iron and plastic steel
- 2. Ergonomically designed switch
- 3. The cutting angle can be adjusted from 15° to 45°
- 4. Adjustable cutting depth

Input power	No-load Speed	
2500W	3900r/min	
Blade capacity	355mm	
Rated Voltage	220V~ 50/60Hz	
Moter Height	55mm	
Cutting Capacity	100mm	
G.W/N.W	13.5/12kg	
ColorBox Size	53x30x38cm	





Input power

2600W

No-load Speed

1200r/min





Adjustable shield angle



Cutting steel, metal, plastic steel



Thickened base more stable



A leader in the cutting industry 10





Steel machine series



Read thoroughly handing instructions before use.

Mod.ZB-355A-6

Product features:

1. It is especially suitable for rapid refining of steel, non-ferrous metals, iron and plastic steel

2. Ergonomically designed switch

- 3. The cutting angle can be adjusted from 15° to 45°
- 4. Adjustable cutting depth

Input power	No-load Speed	
2800W	3900r/min	
BLade capacity	355mm	
Rated Voltage	220V~ 50/60Hz	
Moter Height	60mm	
Cutting Capacity	100mm	
G.W/N.W	16/14.5kg	
Color Box Size	55.5x31x41cm	





Mod.ZB-355B

Product features:


1. It is especially suitable for rapid finishing of steel, nonferrous metals,

2. Soft leather handle, comfortable to hold and relieve fatigue.

- 3. High-quality grinding wheel blades make cutting more efficient.
- 4. The steel thickened base is stable and safe.

Input power	No-load Speed	
2500W	3900r/min	
BLade capacity	355mm	
Rated Voltage	220V~ 50/60Hz	
Moter Height	55mm	
Cutting Capacity	100mm	
G.W/N.W	14/12.5kg	
Color Box Size	53x30x38cm	

Aluminum sawing machine series



Product features:

- 1. It is especially suitable for fast and accurate cutting of aluminum and wood.
- 2. The stable base is cut stably, which is safe and reliable.
- 3. The cutting angle can be adjusted at will from 15 to 45..









Mod.ZB-255A


MITER SAW

Specification			
Blade diameter	Rated input power	No load speed	Rate frequency
254 MM	1800 W	5500 RPM	50/60Hz
Rated Voltage	220V~50/60Hz	G.W/N.W	13/11kg
Moter Height	45mm	ColorBox Size	57.5x46x40cm


11 A leader in the cutting industry A leader in the cutting industry 12



Aluminum sawing machine series



Product features:











Mod.ZB-255B

MITER SAW

Blade diameter	Rated input power	No load speed	Rated frequency
255 MM	1800 W	5500 RPM	50/60Hz
Rated Voltage	220V~	G.W/N.W	10/8.5kg
Moter Height	40mm	Color Box Size	51.5x37x38.5cm



Aluminum sawing machine series

Read thoroughly handing instructions before use.



Mod.ZB-255B-1

MITER SAW

Blade diameter	Rated input power	No load speed	Rated frequency
255 MM	1800 W	5500 RPM	50/60Hz
Rated Voltage	220V~	G.W/N.W	12/10kg
Moter Height	40mm	ColorBox Size	51.5x37x38.5cm

13 A leader in the cutting industry A leader in the cutting industry 14








- 1. Especially suitable for fast and accurate cutting of aluminum and wood.
- 2. The stable base is cut stably, which is safe and reliable.
- 3. The cutting angle can be adjusted at will from 15 to 45...





Aluminum sawing machine series



Product features:

- 1. Especially suitable for fast and accurate cutting of aluminum and wood
- 2. The stable base is cut stably, which is safe and reliable.
- 3. The cutting angle can be adjusted at will from 15 to 45...









Mod.ZB-210A-1

MITER SAW

Blade diameter	Rated input power	No load speed	Rated frequency
210 MM*24T	1200 W	4600 RPM	50Hz
Rated Voltage	220V~	0°x0°	90.5x95mm
G.W/N.W	13/11kg	45°x45°	90.5x67mm
ColorBox Size	55.5x44.5x40cm		

Mod.ZB-255C

Product features:

- 1. High precision dial, 45-90 seamless cutting.
- 2. Foldable storage, humanized design and space saving.
- 3. Soft leather bag with large handle, safe operation and more comfortable.

Input power	No-load Speed
2000W	4500rpm
Rated Voltage	230V
Rated frequency	50Hz
Input power	2000W
No-load speed	4500RPM/min
Saw blade size	255mmx40T
Cutting ability	0° *90° : 340*90mm
	0° *45° : 340*45mm
	45° *0° : 240*90mm
	45° *45° : 240*45mm
G.W/N.W	17/14kgs
Color Box Size	81.5*48*40.5cm



Mod.ZB-305C

- 1. Especially suitable for fast and accurate cutting of aluminum and wood.
- 2. The stable base is cut stably, which is safe and reliable.
- 3. The cutting angle can be adjusted at will from 15 to 45...

Input power	No-load Speed
1800W	4500rpm
Rated Voltage	230V/120V
Rated frequency	50/60Hz
Input power	1800W (15A)
No-load speed	3800RPM/min
Saw blade size	305mmx40T
Cutting ability	90° *90° : 105*335mm
	90° *45° : 105*235mm
	45° *90° : 60*335mm
	45° *90° : 33*335mm
	45° *45° : 60*235mm
	45° *45° : 33*235mm
G.W/N.W	22/20.7kgs
Color Box Size	86.5*53.5*52cm



LASER POSITION PRECISION CUTTI

Miter saw

Read thoroughly handing instructions before use.



Product features:

- 1. High-power copper core motor, help to cut smoothly and without
- 2.45 oblique cutting angle, which can realize acurate cuting, wood, PV pipe and aluminum alloy can be used.
- 4. Thicken and reinforce the aluminum alloy base, and the cutting will be smooth and steady.
- 5. Double security starter to prevent potential safety hazards in the
- 6. High-quality belt+storage design,
- Effectivelyprotect machine parts
- and reduce storage space.



Mod.ZB-255A-1

MITER SAW

Specification			
Rated Voltage	230V	Cutting ability	90° *90° : 110*80mm
Rated frequency	50Hz		45° *45° : 70*50mm
Input power	1500W	G.W/N.W	17.5/16kg
Saw blade size	255mmx24T	Color Box Size	56x42x40.3cm







Aluminum sawing machine series



Read thoroughly handing instructions before use.

Mod.ZB-210A

Product features:

- 1. High-precision dial, with 45-90 scheduling and positioning to meet different cutting requirements.
- 2. Foldable storage design, large volume does not occupy space.
- 3. Thicken the aluminum alloy base, thicken the base, and the cutting will not shake.

Input power	No-load Speed	
1400W	4900r/min	
Rated Voltage	230V	
Rated frequency	50Hz	
Input power	1400W	
No-load speed	4900RPM/min	
Saw blade size	210mmx24T	
Cutting ability	90° *90° : 115*60mm	
	90° *45° : 115*25mm	
	45° *90° : 80*60mm	
	45° *45° : 80*25mm	
G.W/N.W	8.3/6.5kgs	
Color Box Size	53*34*30.5cm	





Mod.ZB-210C


- 1. Rubber belt, high quality and durable.
- 2. Ergonomic handle, when the handle is pressed down, the switch is started, and it can be cut by pressing it down easily.
- 3. Rapid heat dissipation, no machine burning, long-term use without burning.

Input power	No-load Speed	
1700/2000W	4700r/min	
Rated Voltage	230V	
Rated frequency	50Hz	
Input power	1700W	
No-load speed	4700RPM/min	
Saw blade size	210mmx24T	
Cutting ability	0° *90° : 340*65mm	
	0° *45° : 340*38mm	
	45° *45° : 240*38mm	
	45° *90° : 240*65mm	
G.W/N.W	13/12kgs	
Color Box Size	79*46*35.5cm	





Aluminum sawing machine series



Product features:

- 1. Quick spindle lock, easy to replace all kinds of saw blades.
- 2. Thickening and heightening the chassis, seamlessly cutting the table top, and cutting without shaking.
- 3. Automatic rebound protective cover, dust protection, to prevent debris flying.

Input power

No-load Speed

1500W

4600r/min








Mod.ZB-255E

MITER SAW

Specification				
Rated Voltage	Rated input power	No load speed	Ra	ate frequency
230V	1500W	4600 RPM		50Hz
Blade Diameter	255mm	Cutting ability	0°x0°	90.5x95mm
G.W/N.W	13/11Kg		45°x45°	90.5x67mm
Color Box Size	55.5x44.5x40cm			

Steel machine series



Mod.ZB-400A

Product features:

- 1. Stable base is safer to cut.
- 2. High-quality large motor with high efficiency and beautiful incision.
- 3. It is especially suitable for fast and accurate cutting of steel, nonferrous metals, iron and plastic steel.

Input power	No-load Speed
3000W	2280r/min
BLade capacity	400mm
Rated Voltage	220V~50/60Hz
Moter Height	90mm
Cutting Capacity	100mm
G.W/N.W	46/43kg
ColorBox Size	72x45x56cm



Mod.ZB-400B

- 1. Stable base is safer to cur
- 2. High-quality large motor with high efficiency and beautiful incision.
- 3. It is especially suitable for fast and accurate cutting of steel, nonferrous metals, iron and plastic steel.


Input power	No-load Speed
3000W	2280r/min
BLade capacity	400mm
Rated Voltage	220V~50/60Hz
Moter Height	90mm
Cutting Capacity	100mm
G.W/N.W	46/43kg
ColorBox Size	72x45x56cm







Angle grinder series



STRONG MOTOR Cutting without worry

Mod.ZB-AG1


Input power	No-load Speed
750W	11000r/min
Blade Diameter	100mm
Input Power	750W
No-Load Speed	11000r/min
Rated Frequency	50Hz
Rated Voltage	220V
G.W/N.W	20/19kg
Color Box Size	56.5x33.5x23cm



Product features:

- Aluminum die, high strength, multiple quenching treatment, high friction and low precision coefficient.
- 2. The overall dust-proof design of the fuselage effectively protects the normal operation of the machine.
- 3. Thicken the metal shield to prevent sparks from splashing.

Angle grinder series



Mod.ZB-AG3

Product features:

- 1. Slim body, ergonomic design, better fit to the palm, smoother work.
- 2. Spindle lock design, quick film change in one minute.
- 3. Thicken the metal shield to prevent sparks from splashing.

Input power	No-load Speed
860W	11000r/min
Blade Diameter	100mm
Input Power	860W
No-Load Speed	11000r/min
Rated Frequency	50Hz
Rated Voltage	220V
G.W/N.W	21/20kg
Color Box Size	54.5x32.5x23cm







Mod.ZB-AG2

Product features:

- 1. Enlarge the air outlet of the head shell, and design the small head shell.
- 2. The copper core motor has strong power and more powerful cutting and grinding.
- 3. Double-bearing high-strength gear can bear stronger impact force.

Input power	No-load Speed	
620W	11000r/min	
Blade Diameter	100mm	
Input Power	620W	
No-Load Speed	11000r/min	
Rated Frequency	50Hz	
Rated Voltage	220V	
G.W/N.W	17/16kg	
Color Box Size	54.5x32.5x23cm	







Mod.ZB-AG4

Input power	No-load Speed
950W	11000r/min
Blade Diameter	100mm
Input Power	950W
No-Load Speed	11000r/min
Rated Frequency	50Hz
Rated Voltage	220V
G.W/N.W	21/20kg
Color Box Size	62x39.5x21cm



Product features:


- 1. Fully tightly matched gear structure
- 2. The positioning of the output shaft is strengthened, and the dustproof design is more intimate.
- 3. Optimize the structural design to effectively control the body temperature.

21 A leader in the cutting industry 22



ZHIBIAO POWER TOOLS

Angle grinder series



COPPER CORE MOTOR Polishing and rust removal

Mod.ZB-AG5

Product features:

- 1. High-power professional tools
- 2. Ultra-fine handle makes it easier to hold.
- 3. Stone grinding, cast iron grinding and polishing

Input power	No-load Speed 11000r/min	
860W		
Blade Diameter	100mm	
Input Power	860W	
No-Load Speed	11000r/min	
Rated Frequency	50Hz	
Rated Voltage	220V	
G.W/N.W	20/19kg	
Color Box Size	54.5x32.5x23cm	







Mod.ZB-AG6


Input power	No-load Speed		
860W	11000r/min		
Blade Diameter	100mm		
Input Power	860W		
No-Load Speed 11000r/min			
Rated Frequency	Frequency 50Hz		
Rated Voltage	220V		
G.W/N.W	20/19kg		
Color Box Size	54.5x32.5x23cm		



Product features:

- 1. Slim body, ergonomic design, better fit to the palm, smoother work.
- 2. Enhanced sub-handle, two-handed control is more stable.
- 3. Thicken the metal shield to prevent sparks from splashing.

Electric circular saw/stone cutting machine series



Mod.ZB-185A

Input power	No-load Speed		
1200W	5300r/min		
Blade Diameter	185mm		
Input Power	1200W		
No-Load Speed	5300r/min		
Rated Frequency	50Hz		
Rated Voltage	220-230V		
Rubber Thread	0.75mm ² x2m		
G.W/N.W	21/20kg		
Color Box Size	50.5x34.5x40cm		



Mod.ZB110-1

Input power	No-load Speed
1250W	13000r/min
Blade Diameter	110mn
Input Power	1250W





Input power	No-load Speed	Input power	No-load Speed
1250W	13000r/min	1400W	13000r/min
Blade Diameter	110mm	110	mm
Input Power	1250W	140	0W
No-Load Speed	13000r/min	13000	r/min
Rated Frequency	50Hz	50Hz	
Rated Voltage	220-230V	220-230V	
Rubber Thread	0.75mm ² x2m	0.75mm ² x2m	
G.W/N.W	21.5/20.5kg	22.5/21.5kg	
Color Box Size	73.5x25x38cm	73.5x25x38cm	

23 A leader in the cutting industry A leader in the cutting industry 24